

**Trade name:** JACKOCELL ®5

**Product no.:** JACK-002-S2314-S3312-S4311

**Current version :** 4.1.0, issued: 14.12.2017

**Replaced version:** 4.0.1, issued: 25.06.2015

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**JACKOCELL ®5**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Raw material for plastic processing.

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

Jackon GmbH  
Tonnenhofstrasse 16  
23970 Wismar

Telephone no. 0 3841 / 420-0  
Fax no. 0 3841 / 420-420

**Information provided by / telephone**

+49 (0) 38 41/420 0

**Advice on Safety Data Sheet**

sdb\_info@umco.de

### 1.4 Emergency telephone number

+44 (0) 1235 239 670 (24h)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification information**

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008: Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**

-

**Signal word**

-

**Hazard statement(s)**

-

**Hazard statements (EU)**

EUH018 In use may form flammable/explosive vapour-air mixture.  
EUH210 Safety data sheet available on request.

**Precautionary statement(s)**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P243 Take action to prevent static discharges.  
P403+P235 Store in a well-ventilated place. Keep cool.

**Labelling information**

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

### 2.3 Other hazards

During and after use possible formation of combustible mixture with solvents.

**Trade name:** JACKOCELL ®5

**Product no.:** JACK-002-S2314-S3312-S4311

**Current version :** 4.1.0, issued: 14.12.2017

**Replaced version:** 4.0.1, issued: 25.06.2015

**Region:** GB

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

#### Chemical characterization

Expendable polystyrene; EPS

#### Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	<b>pentane</b>			
	109-66-0 203-692-4 601-006-00-1 -	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 EUH066 Flam. Liq. 2; H225 STOT SE 3; H336	<= 4.50	%-b.w.
2	<b>2-methylbutane</b>			
	78-78-4 201-142-8 601-085-00-2 -	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 EUH066 Flam. Liq. 1; H224 STOT SE 3; H336	<= 1.30	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	C	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

#### After skin contact

Wash off immediately with soap and water.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

#### After ingestion

Seek medical advice immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam; Carbon dioxide; Extinguishing powder; Water spray jet

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO); Styrene

**Trade name:** JACKOCELL ®5

**Product no.:** JACK-002-S2314-S3312-S4311

**Current version :** 4.1.0, issued: 14.12.2017

**Replaced version:** 4.0.1, issued: 25.06.2015

**Region:** GB

### 5.3 Advice for firefighters

Pentane may be released upon heating. Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Wear protective clothing. Flammable concentrations of propellant may form in closed containers. Product burns on contact with fire or high temperatures.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid dust formation. Keep away sources of ignition. High risk of slipping due to leakage/spillage of product.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically. When picked up, treat material as prescribed under heading "Disposal considerations".

### 6.4 Reference to other sections

No data available.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

No special measures necessary if stored and handled as prescribed. Avoid the formation and deposition of dust. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Provide eye wash fountain in work area. Do not inhale dust.

#### Advice on protection against fire and explosion

Dust can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Ignitable mixtures may be formed with air upon diffusion of pentane.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Store product in closed containers.

#### Advice on storage assembly

None known

### 7.3 Specific end use(s)

No data available.

**Trade name:** JACKOCELL ®5

**Product no.:** JACK-002-S2314-S3312-S4311

**Current version :** 4.1.0, issued: 14.12.2017

**Replaced version:** 4.0.1, issued: 25.06.2015

**Region:** GB

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	pentane	109-66-0	203-692-4
<b>List of approved workplace exposure limits (WELs) / EH40</b>			
Pentane			
	TWA	600 ppm	1800 mg/m <sup>3</sup>
<b>2006/15/EC</b>			
Pentane			
	TWA	3000 mg/m <sup>3</sup>	1000 ppm
2	2-methylbutane	78-78-4	201-142-8
<b>List of approved workplace exposure limits (WELs) / EH40</b>			
Isopentane			
	TWA	600 ppm	1800 mg/m <sup>3</sup>
<b>2006/15/EC</b>			
Isopentane			
	TWA	3000 mg/m <sup>3</sup>	1000 ppm

### 8.2 Exposure controls

#### **Appropriate engineering controls**

No data available.

#### **Personal protective equipment**

##### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn.

##### **Eye / face protection**

Safety glasses (EN 166)

##### **Hand protection**

In case of intensive contact, wear protective gloves (EN 374). Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

##### **Other**

Normal chemical work clothing.

##### **Environmental exposure controls**

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form/Colour</b>	
Solid substance; beads	
white	
<b>Odour</b>	
mild	
<b>Odour threshold</b>	
No data available	
<b>pH value</b>	
No data available	
<b>Boiling point / boiling range</b>	
No data available	
<b>Melting point / melting range</b>	
No data available	
<b>Softening point / softening temperature</b>	
Value	appr. 70 °C

Trade name: JACKOCELL ®5

Product no.: JACK-002-S2314-S3312-S4311

Current version : 4.1.0, issued: 14.12.2017

Replaced version: 4.0.1, issued: 25.06.2015

Region: GB

<b>Decomposition point / decomposition range</b>			
Value	appr.	220	°C
<b>Flash point</b>			
Value		-56	°C
Reference substance		pentane	
<b>Auto-ignition temperature</b>			
No data available			
<b>Oxidising properties</b>			
No data available			
<b>Explosive properties</b>			
No data available			
<b>Flammability (solid, gas)</b>			
No data available			
<b>Lower flammability or explosive limits</b>			
Value		1.3	% vol
Reference substance		pentane	
<b>Upper flammability or explosive limits</b>			
Value		7.8	% vol
Reference substance		pentane	
<b>Vapour pressure</b>			
Value		761	mbar
Reference temperature		20	°C
Reference substance		pentane	
<b>Vapour density</b>			
Value		2.5	
Reference temperature		20	°C
Reference substance		pentane	
<b>Evaporation rate</b>			
No data available			
<b>Relative density</b>			
No data available			
<b>Density</b>			
Value		1.03 - 1.05	g/ml
<b>Bulk density</b>			
Value		600	kg/m <sup>3</sup>
<b>Solubility in water</b>			
Remarks		insoluble	
Remarks		immiscible	
<b>Solubility(ies)</b>			
No data available			
<b>Soluble in</b>			
Aromatic hydrocarbons; Ketones; organic solvents			
<b>Partition coefficient: n-octanol/water</b>			
No data available			
<b>Viscosity</b>			
No data available			
<b>9.2 Other information</b>			
<b>Other information</b>			
No data available.			

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

**Trade name:** JACKOCELL ®5

**Product no.:** JACK-002-S2314-S3312-S4311

**Current version :** 4.1.0, issued: 14.12.2017

**Replaced version:** 4.0.1, issued: 25.06.2015

**Region:** GB

## 10.2 Chemical stability

Stable if stored and handled properly.

## 10.3 Possibility of hazardous reactions

Risk of formation of explosive gas mixtures in air.

## 10.4 Conditions to avoid

Keep away sources of ignition. Protect from heat and direct sunlight. Static discharges.

## 10.5 Incompatible materials

strong oxidizing agents

## 10.6 Hazardous decomposition products

Carbon dioxide; Carbon monoxide; Flammable gases/vapours

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute oral toxicity

No data available

#### Acute dermal toxicity

No data available

#### Acute inhalational toxicity

No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/irritation

No data available

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Reproduction toxicity

No data available

#### Carcinogenicity

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### Aspiration hazard

No data available

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact may cause mechanical irritation through dust particles.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of dusts may irritate the respiratory tract. Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin.

**Trade name:** JACKOCELL ®5

**Product no.:** JACK-002-S2314-S3312-S4311

**Current version :** 4.1.0, issued: 14.12.2017

**Replaced version:** 4.0.1, issued: 25.06.2015

**Region:** GB

## SECTION 12: Ecological information

### 12.1 Toxicity

<b>Toxicity to fish (acute)</b>
No data available
<b>Toxicity to fish (chronic)</b>
No data available
<b>Toxicity to Daphnia (acute)</b>
No data available
<b>Toxicity to Daphnia (chronic)</b>
No data available
<b>Toxicity to algae (acute)</b>
No data available
<b>Toxicity to algae (chronic)</b>
No data available
<b>Bacteria toxicity</b>
No data available

### 12.2 Persistence and degradability

<b>Biodegradability</b>	
<b>No</b>	<b>Product Name</b>
1	JACKOCELL ®5
Evaluation	Slightly biodegradable

### 12.3 Bioaccumulative potential

<b>Bioconcentration factor (BCF)</b>	
<b>No</b>	<b>Product Name</b>
1	JACKOCELL ®5
Remarks	Not potentially bioaccumulative.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Other adverse effects

No data available.

### 12.7 Other information

<b>Other information</b>
Do not discharge product unmonitored into the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## SECTION 14: Transport information

### 14.1 Transport ADR/RID/ADN

Class	9
Classification code	M3
Packing group	III
Hazard identification no.	90
UN number	UN2211
Proper shipping name	POLYMERIC BEADS, EXPANDABLE
Tunnel restriction code	D/E
Label	keine

**Trade name:** JACKOCELL ®5

**Product no.:** JACK-002-S2314-S3312-S4311

**Current version :** 4.1.0, issued: 14.12.2017

**Replaced version:** 4.0.1, issued: 25.06.2015

**Region:** GB

## 14.2 Transport IMDG

Class	9
Packing group	III
UN number	UN2211
Proper shipping name	POLYMERIC BEADS, EXPANDABLE
EmS	F-A+S-I
Label	9

## 14.3 Transport ICAO-TI / IATA

Class	9
Packing group	III
UN number	UN2211
Proper shipping name	Polymeric beads, expandable
Label	9

## 14.4 Other information

No data available.

## 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

## 14.6 Special precautions for user

No data available.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

##### **Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

##### **REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

##### **Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

##### **Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

### 15.2 Chemical safety assessment

No data available.

## SECTION 16: Other information

#### **Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

#### **Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

EUH066	Repeated exposure may cause skin dryness or cracking.
H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.



---

**Trade name:** JACKOCELL ®5

**Product no.:** JACK-002-S2314-S3312-S4311

**Current version :** 4.1.0, issued: 14.12.2017

**Replaced version:** 4.0.1, issued: 25.06.2015

**Region:** GB

---

**Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)**

C Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

**Department issuing safety data sheet**

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship. The information developed by JACKON relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process.

It is user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.

**Alterations/supplements:**

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 39584